

## Workplace Health and Safety Queensland

### Cleaning asbestos cement roofs

Fibro roofs (such as 'Super Six' and 'fibro cement') contain asbestos and must not be cleaned using a water blaster.

**Caution: Using water blasters on asbestos cement roofs is illegal.**

Cleaning a fibro roof with a high pressure water blaster is illegal as it can destroy the roof surface, cause cement debris and asbestos to spray into the air, and result in widespread contamination.

It is very difficult to contain asbestos fibres released during the process and very expensive to clean up. It puts you and your neighbours' health at risk.

Homeowners can be fined up to \$10 000 for water blasting a fibro roof, as well as any additional costs associated with clean-up. Businesses may face heavier fines.

Well maintained asbestos cement roofs are not a risk to human health unless they are physically disturbed or being worked on. They

can be left alone until they are no longer water tight.

Instead of cleaning an asbestos cement roof, apply a fungicide or sealant or consider replacing it.

You can find out more about sealants and fungicides from your local roof restoration company, paint supplier or hardware store.

#### Further information

For more information about asbestos visit [www.worksafe.qld.gov.au](http://www.worksafe.qld.gov.au) or call the Workplace Health and Safety Infoline on 1300 369 915.

Queensland Health also provides further information on identifying asbestos, the health risks of asbestos, what it looks like and more information on handling asbestos safely.

Call 1300 QH INFO (1300 744 636) or visit [www.health.qld.gov.au/asbestos](http://www.health.qld.gov.au/asbestos).

© The State of Queensland (Department of Justice and Attorney-General) 2011

Copyright protects this document. The State of Queensland has no objection to this material being reproduced, but asserts its right to be recognised as author of the original material and the right to have the material unaltered.

The material presented in this publication is distributed by the Queensland Government as an information source only. The State of Queensland makes no statements, representations, or warranties about the accuracy or completeness of the information contained in this publication, and the reader should not rely on it. The Queensland Government disclaims all responsibility and all liability (including, without limitation, liability in negligence) for all expenses, losses, damages and costs you might incur as a result of the information being inaccurate or incomplete in any way, and for any reason.

Workplace Health and Safety Queensland, Department of Justice and Attorney-General

Cleaning asbestos cement roofs

PN11037 Version 1 Last updated December 2011